

Helwan University
The Social Work Faculty
D.ept. of Social Work Fields

**The Effectiveness Intervention Program By
Generalist Practice Of Social Work To Develop
The Woman Awarness Of The Harms Of
Female Circumcision**

**As Partial Fulfillment of The Requirement of The Ph.D
Degree in Social Work
(Specialization Social Work Fields)**

Prepared by
Abeer Hassan Mostafa Allam
Assistant Teacher in Social Work Fields Department
Faculty of Social Work , Fayoum University

Supervised by

Prof. Dr.

Prof. Dr.

Zaine elaabedeen M.Ali

Nazema Ahmed Sarhan

Faculty of *Professor in Social Work Fields Dept.*
Social Work
Helwan University

Professor in Social Work Fields Dept.
Faculty of Social Work
Helwan University

2010

SUMMARY

Study problem:

-The basic study problem of this is to be expressed as follows:" what efficient professional intervention program of social work which is to be used by generalist practice to aware woman the harms of female circumcision"

- In addition to the above basic question the following secondary question are also relevant to the scope of this PhD Thesis:

1-:" what efficient professional intervention program of social work which is to be used by generalist practice to aware woman of concept female circumcision"

2-what efficient professional intervention program of social work which is to be used by generalist practice to aware woman the harms of Female circumcision"

3-:" what efficient professional intervention program of social work which is to be used by generalist practice to aware woman the causes of female circumcision"

4-:" what efficient professional intervention program of social work which is to be used by generalist practice to aware woman partspation in harming of female circumcision"

study objective :

1-measuring income professional intervention program of social work generalist practice to aware woman the harms of female circumcision"

2-formulate to professional intervention program of social work generalist practice to aware woman the harms of female circumcision"

study procedures

1study hypotheses:

This PhD thesis is to test the validity of the main hypothesis that is:

"There is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the harms of female circumcision"

- The study also aims at testing the validity of the following secondary hypotheses:

First: "there is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the concept of female circumcision"

-Second:" there is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the harms of female circumcision"

-Third: "there is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the causes of female Circumcision".

-forth:" there is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the partspation in harming o of female Circumcision"

Type of study:

This study is an intervention evaluation one by using the semi-experimental

Methodology:

It depends on the scores registered out of pre-post test carried out on a group of woman to application of the Professional intervention program

-tools of the study:

The study tools can be stated as the follow:

- a) The research designed a scale for measuring (to aware woman the harms of female circumcision)
- b) Content analysis of the interview and recording
- c) Statistical analysis

Study fields:

Place field:

El walaa el aazam le eltanmea agency
ezpet el nassr bassaten Cairo governorate.

-human field:

The study sample of woman consists of 20cases

time field :

The time field was determined in the period of applying the Professional intervention program which lasted for six months started from 1/4/2009 to 3/10/2009

Study results:

The result confirmed the authenticity of the main hypothesis that says:
"There is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the harms of female circumcision"

- The results confirmed the authenticity of the secondary hypotheses that says:

First: there is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the concept of female circumcision"

-Second:" there is a statistically significant relation between the Application of the Professional intervention program by Generalist practice of social work and to aware woman the harms of female circumcision"

-Third: "there is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the causes of female Circumcision".

-Forth:" there is a statistically significant relation between the application of the Professional intervention program by Generalist practice of social work and to aware woman the partspation in harming o of female Circumcision".