

قسم النبات كلية العلوم جامعة الفيوم



## البحث رقم (۵)

Title: Genetic diversity analysis reveals weak population structure in invasive Trianthema portulacastrum L. at Fayoum depression, Egypt

التنوع الجيني لنبات Trianthema portulacastrum L الغازي منخفض الفيوم بمصر يوضح مدى ضعف التركيب الجيني لهذا النبات

Turkish Journal of Botany 45 (6), 541-552(2021) doi:10.3906/bot-2104-21

عنوان البحث:

اسم المجلة ومعلومات النشر (السنة، العد، الصفحات):

# Research Article (6)

# English Abstract

### Background

Trianthema portulacastrum L. (Aizoaceae) is a common weed associated with cultivated crops. It is an exotic weed that originated in South Africa and is spreading all over the world. Thirty-five accessions were collected from six populations at Fayoum depression (FD), Egypt.

### Results

Molecular analyses of start codon targeted (SCoT) markers were performed to identify genotypic variation among collected populations. The effectiveness of employing SCoT markers was demonstrated by the high percentage of polymorphisms. These markers revealed high genetic diversity, as well as high levels of genetic differentiation (GST), elevated gene flow (Nm) (0.195 and 2.052, respectively), high variation among a population and lower variation within populations. Linkage disequilibrium analysis supported the presence of sexual and clonal reproduction of *T. portulacastrum* in different populations.

#### Conclusions

The data confirmed the weak population structure of *T. portulacastrum* demonstrated in this study via different tools such as STRUCTURE, Minimum spanning network (MSN), and discriminant analysis of principal components (DAPC) and confirmed gene flow between populations. Based on our results, we hypothesize that FD was invaded multiple times by *T. portulacastrum* facilitated by both local adaptation and phenotypic plasticity.